```
=> d his
```

L1

L4

L6

(FILE 'HOME' ENTERED AT 15:50:09 ON 07 MAR 2005)

FILE 'HCAPLUS' ENTERED AT 15:50:16 ON 07 MAR 2005

E DE1999-19921886/AP,PRN 1 DE1999-19921886/AP,PRN E W02000-EP4013/AP,PRN

L2 1 W02000-EP4013/AP.PRN

L3 1 L1-2

FILE 'REGISTRY' ENTERED AT 15:51:01 ON 07 MAR 2005

FILE 'HCAPLUS' ENTERED AT 15:51:04 ON 07 MAR 2005 TRA L3 1- RN : 27 TERMS

FILE 'REGISTRY' ENTERED AT 15:51:04 ON 07 MAR 2005 L5 27 SEA L4

FILE 'WPIX' ENTERED AT 15:51:06 ON 07 MAR 2005

E DE1999-19921886/AP,PRN 1 DE1999-19921886/AP,PRN E W02000-EP4013/AP,PRN

L7 1 W02000-EP4013/AP.PRN

L8 1 L6-7

=> b hcap

FILE 'HCAPLUS' ENTERED AT 15:51:46 ON 07 MAR 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26. 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 Mar 2005 VOL 142 ISS 11 FILE LAST UPDATED: 6 Mar 2005 (20050306/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d all 13

```
L3 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN
```

- AN 2000:807725 HCAPLUS
- DN 133:350059
- ED Entered STN: 16 Nov 2000
- TI Herbicidal N-cyano-amidines
- IN Gesing, Ernst R. F.; Hense, Achim; Kather, Kristian; Lehr, Stefan; Riebel, Hans-Jochem; Rohe, Lothar; Voigt, Katharina; Drewes, Mark Wilhelm; Feucht, Dieter; Pontzen, Rolf; Wetcholowsky, Ingo
- PA Bayer A.-G., Germany
- SO Ger. Offen., 14 pp.

CODEN: GWXXBX

DT Patent

```
ΙA
    German
     ICM C07C261-04
IC.
         A01N047-40; C07D215-38; C07D221-04; C07D333-50; C07D335-06;
          C07D311-04
     25-24 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
     Section cross-reference(s): 5
FAN.CNT 1
                                DATE
                                            APPLICATION NO.
                                                                   DATE
     PATENT NO.
                         KIND
                         ----
                                20001116
                                            DE 1999-19921886
                                                                    19990512 <--
     DE 19921886
                          A1
     CA 2373429
                          AA
                                20001123
                                            CA 2000-2373429
                                                                    20000504 <--
     WO 2000069813
                                20001123
                                            WO 2000-EP4013
                                                                    20000504 <--
                          Α1
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR,
             CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU.
             ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,
             LV. MA, MD. MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE,
             SG. SI. SK. SL. TJ. TM. TR. TT. TZ. UA. UG. US. UZ. VN. YU. ZA.
             ZW. AM. AZ. BY, KG, KZ, MD, RU, TJ. TM
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
             DK. ES. FI. FR. GB. GR. IE. IT. LU. MC. NL. PT. SE, BF. BJ. CF.
             CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     BR 2000010447
                          Α
                                20020213
                                            BR 2000-10447
                                                                    20000504 <--
                                                                    20000504 <--
                                            EP 2000-929495
     EP 1178956
                                20020213
                          Α1
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO
                                20021224
                                            JP 2000-618230
                                                                    20000504 <--
     JP 2002544255
                          T2
                                            AU 2000-47553
     AU 765922
                          B2
                                20031002
                                                                    20000504 <--
PRAT DF 1999-19921886
                          Α
                                19990512 <---
     WO 2000-EP4013
                          W
                                20000504
CLASS
                 CLASS PATENT FAMILY CLASSIFICATION CODES
 PATENT NO.
 DE 19921886
                 ICM
                        C07C261-04
                        A01N047-40; C07D215-38; C07D221-04; C07D333-50;
                 ICS
                        C07D335-06; C07D311-04
DE 19921886
                 ECLA
                        A01N047/40: C07C261/04: C07D333/54B
0S
     MARPAT 133:350059
GI
```

- AB N-Cyano-amidines R2NHCR1:NCN [R1 = H, (un)substituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl; R2 = (un)substituted benzannellated, pyridoannellated, thienoannellated cycloalk(en)yl, oxacycloalk(en)yl or thiacycloalk(en)yl] were prepared for use as herbicides. Thus, NCN:CMeOMe was treated with 1,2,3,4-tetrahydro-1-naphthylamine to give the cyano amidine I. I was effective in both preand post-emergence tests.
- ST cyano amidine prepn herbicide

Ι

IT Herbicides

(preparation of herbicidal N-cyano-amidines)

IT 306284-52-6P

RL: AGR (Agricultural use): BAC (Biological activity or effector. except adverse): BSU (Biological study. unclassified): SPN (Synthetic preparation): BIOL (Biological study): PREP (Preparation): USES (Uses)

```
(preparation of herbicidal N-cyano-amidines)
    255374-61-9P
                   255374-62-0P
                                  255374-63-1P
                                                  255374-64-2P
                                                                255374-65-3P
IT
                                  306284-54-8P
                                                                306284-56-0P
     255374-66-4P
                    306284-53-7P
                                                  306284-55-9P
                                                                306284-61-7P
    306284-57-1P
                   306284-58-2P
                                  306284-59-3P
                                                  306284-60-6P
     306284-62-8P
                    306284-63-9P
                                  306284-64-0P
                                                  306284-65-1P
                                                                306284-66-2P
     306284-67-3P
                   306284-68-4P
                                  306284-69-5P
                                                 306284-70-8P
    RL: AGR (Agricultural use); SPN (Synthetic preparation); BIOL (Biological
    study); PREP (Preparation); USES (Uses)
       (preparation of herbicidal N-cyano-amidines)
   2217-40-5, 1,2,3,4-Tetrahydro-1-naphthylamine
                                                    5652-84-6
    RL: RCT (Reactant); RACT (Reactant or reagent)
        (preparation of herbicidal N-cyano-amidines)
```

=> b reg

FILE 'REGISTRY' ENTERED AT 15:51:50 ON 07 MAR 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 4 MAR 2005 HIGHEST RN 842949-55-7 DICTIONARY FILE UPDATES: 4 MAR 2005 HIGHEST RN 842949-55-7

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 18. 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at: http://www.cas.org/ONLINE/DBSS/registryss.html

=> d ide 15 tot

L5 ANSWER 1 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN RN 306284-70-8 REGISTRY Butanimidamide, N-(5-amino-1,2,3,4-tetrahydro-1-naphthalenyl)-N'-cyano-CN (9CI) (CA INDEX NAME) FS 3D CONCORD MF C15 H20 N4 SR CA LC STN Files: CA. CAPLUS DT.CA CAplus document type: Patent Roles from patents: BIOL (Biological study); PREP (Preparation); USES RL.P (Uses)

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 2 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-69-5 REGISTRY

CN Methanimidamide. N-cyano-N'-(2,3-dihydro-1H-inden-1-yl)- (9CI) (CA INDEX NAMF)

FS 3D CONCORD

MF C11 H11 N3

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 3 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-68-4 REGISTRY

CN Methanimidamide, N-cyano-N'-[(1S,2R)-2,3-dihydro-2-hydroxy-1H-inden-1-yl](9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C11 H11 N3 O

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 4 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-67-3 REGISTRY

CN Methanimidamide. N-cyano-N'-[(1R,2S)-2,3-dihydro-2-hydroxy-1H-inden-1-yl]-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C11 H11 N3 O

SR CA

LC STN Files: CA. CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES

(Uses)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L5 ANSWER 5 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-66-2 REGISTRY
- CN Methanimidamide. N-cyano-N'-(2,3-dihydro-3-methyl-1H-inden-1-yl)- (9CI) (CA INDEX NAME)
- FS 3D CONCORD
- MF C12 H13 N3
- SR CA
- LC STN Files: CA, CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study): PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L5 ANSWER 6 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-65-1 REGISTRY
- CN Butanimidamide, N-cyano-N'-[(1S,2R)-2,3-dihydro-2-hydroxy-1H-inden-1-y1](9CI) (CA INDEX NAME)
- FS STEREOSEARCH
- MF C14 H17 N3 O
- SR CA
- LC STN Files: CA, CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

 $Absolute \ stereochemistry.\\$

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L5 ANSWER 7 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-64-0 REGISTRY
- CN Butanimidamide. N-cyano-N'-[(1R,2S)-2.3-dihydro-2-hydroxy-1H-inden-1-y1]-(9CI) (CA INDEX NAME)
- FS STEREOSEARCH
- MF C14 H17 N3 O
- SR CA
- LC STN Files: CA, CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L5 ANSWER 8 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-63-9 REGISTRY
- CN Propanimidamide, N-cyano-N'-[(1S.2R)-2.3-dihydro-2-hydroxy-1H-inden-1-yl]- (9CI) (CA INDEX NAME)
- FS STEREOSEARCH
- MF C13 H15 N3 O
- SR CA
- LC STN Files: CA. CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

- 1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L5 ANSWER 9 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-62-8 REGISTRY
- FS STEREOSEARCH
- MF C13 H15 N3 O
- SR CA
- LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES

(Uses)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 10 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN **306284-61-7** REGISTRY

CN Propanimidamide, N-(5-amino-1,2,3,4-tetrahydro-1-naphthalenyl)-N'-cyano-(9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C14 H18 N4

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 11 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-60-6 REGISTRY

CN Butanimidamide, N-cyano-N'-(1,2,3,4-tetrahydro-1-naphthalenyl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C15 H19 N3

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 12 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-59-3 REGISTRY

CN Propanimidamide, N-cyano-N'-(1,2,3,4-tetrahydro-1-naphthalenyl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C14 H17 N3

SR C

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 13 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-58-2 REGISTRY

CN Ethanimidamide, N-cyano-N'-[(1S,2R)-2.3-dihydro-2-hydroxy-1H-inden-1-y1]-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C12 H13 N3 O

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES

Absolute stereochemistry.

1 REFERENCES IN FILE CA (1907 TO DATE) 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L5 ANSWER 14 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-57-1 REGISTRY
- CN Ethanimidamide. N-cyano-N'-[(1R,2S)-2,3-dihydro-2-hydroxy-1H-inden-1-yl]-(9CI) (CA INDEX NAME)
- FS STEREOSEARCH
- MF C12 H13 N3 O
- SR CA
- LC STN Files: CA. CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L5 ANSWER 15 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-56-0 REGISTRY
- CN Ethanimidamide, N-cyano-N'-(2.3-dihydro-1H-inden-1-yl)- (9CI) (CA INDEX NAME)
- FS 3D CONCORD
- MF C12 H13 N3
- SR CA
- LC STN Files: CA, CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

- 1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L5 ANSWER 16 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-55-9 REGISTRY
- CN Ethanimidamide. N-(5-amino-1.2.3.4-tetrahydro-1-naphthalenyl)-N'-cyano-(9CI) (CA INDEX NAME)
- FS 3D CONCORD
- MF C13 H16 N4
- SR CA
- LC STN Files: CA, CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study): PREP (Preparation): USES

(Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 17 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-54-8 REGISTRY

CN Methanimidamide, N-cyano-N'-(1.2,3.4-tetrahydro-1-naphthalenyl)- (9CI)
 (CA INDEX NAME)

FS 3D CONCORD

MF C12 H13 N3

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 18 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 306284-53-7 REGISTRY

CN Methanimidamide, N-(5-amino-1,2,3,4-tetrahydro-1-naphthalenyl)-N'-cyano-(9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C12 H14 N4

SR CA

LC STN Files: CA, CAPLUS

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L5 ANSWER 19 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 306284-52-6 REGISTRY
- CN Ethanimidamide, N-cyano-N'-(1,2,3,4-tetrahydro-1-naphthalenyl)- (9CI) (CA INDEX NAME)
- FS 3D CONCORD
- MF C13 H15 N3
- SR CA
- LC STN Files: CA, CAPLUS
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L5 ANSWER 20 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 255374-66-4 REGISTRY
- CN Propanimidamide, N-cyano-N'-(2,3-dihydro-1H-inden-2-yl)- (9CI) (CA INDEX NAME)
- FS 3D CONCORD
- MF C13 H15 N3
- SR CA
- LC STN Files: CA, CAPLUS, USPATFULL
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L5 ANSWER 21 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 255374-65-3 REGISTRY
- CN Butanimidamide. N-cyano-N'-(2,3-dihydro-1H-inden-1-yl)- (9CI) (CA INDEX NAME)
- FS 3D CONCORD
- MF C14 H17 N3

SR CA

LC STN Files: CA, CAPLUS, USPATFULL DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES

(Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 22 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 255374-64-2 REGISTRY

CN Propanimidamide, N-cyano-N'-(2,3-dihydro-1H-inden-1-yl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C13 H15 N3

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 23 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN

RN 255374-63-1 REGISTRY

CN Butanimidamide, N-cyano-N'-(2,3-dihydro-1H-inden-2-yl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C14 H17 N3

SR CA

LC STN Files: CA, CAPLUS, USPATFULL DT.CA CAplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

2 REFERENCES IN FILE CA (1907 TO DATE) 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L5 ANSWER 24 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 255374-62-0 REGISTRY
- CN Ethanimidamide, N-cyano-N'-(2,3-dihydro-1H-inden-2-y1)- (9CI) (CA INDEX NAME)
- FS 3D CONCORD
- MF C12 H13 N3
- SR CA
- LC STN Files: CA, CAPLUS. USPATFULL
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation): USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L5 ANSWER 25 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 255374-61-9 REGISTRY
- CN Methanimidamide, N-cyano-N'-(2,3-dihydro-1H-inden-2-yl)- (9CI) (CA INDEX
- FS 3D CONCORD
- MF C11 H11 N3
- SR CA
- LC STN Files: CA, CAPLUS, USPATFULL
- DT.CA CAplus document type: Patent
- RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

- L5 ANSWER 26 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
- RN 5652-84-6 REGISTRY
- CN Ethanimidic acid. N-cyano-, methyl ester (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Acetimidic acid. N-cyano-, methyl ester (7CI. 8CI)

OTHER NAMES:

- CN Methyl N-cyanoacetamidate
- CN Methyl N-cyanoacetimidate
- CN N-Cyanoethanimidic acid methyl ester
- FS 3D CONCORD
- MF C4 H6 N2 O
- LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST.

```
CSCHEM, IFICDB, IFIPAT, IFIUDB, RTECS*, SPECINFO, TOXCENTER, USPAT2,
         (*File contains numerically searchable property data)
DT.CA CAplus document type: Journal: Patent
      Roles from patents: PREP (Preparation); RACT (Reactant or reagent);
RL.P
       NORL (No role in record)
      Roles from non-patents: PREP (Preparation); RACT (Reactant or reagent);
       NORL (No role in record)
       ΩMe
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
              31 REFERENCES IN FILE CA (1907 TO DATE)
             31 REFERENCES IN FILE CAPLUS (1907 TO DATE)
              2 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
    ANSWER 27 OF 27 REGISTRY COPYRIGHT 2005 ACS on STN
    2217-40-5 REGISTRY
RN
    1-Naphthalenamine, 1,2,3,4-tetrahydro- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
   1-Naphthalenamine, 1,2,3,4-tetrahydro-, (.+-.)-
    1-Naphthylamine, 1,2,3,4-tetrahydro-, (.+-.)- (7CI, 8CI)
OTHER NAMES:
    (.+-.)-1,2,3,4-Tetrahydro-.alpha.-naphthylamine
CN
    (.+-.)-1,2,3,4-Tetrahydro-1-naphthylamine
CN
    (.+-.)-1-Aminotetralin
CN
CN
    (RS)-1.2.3.4-Tetrahydro-1-naphthylamine
CN
    (RS)-1-Aminotetralin
    1.2.3.4-Tetrahydro-1-aminonaphthalene
CN
    1.2.3.4-Tetrahydro-1-naphthalenamine
CN
    1.2.3.4-Tetrahydro-1-naphthylamine
CN
CN
    1,2,3,4-Tetrahydronaphthalen-1-ylamine
    1-Amino-1,2,3,4-tetrahydronaphthalene
CN
CN
    1-Aminotetralin
    NSC 30349
CN
FS
    3D CONCORD
DR
    32908-38-6
MF
    C10 H13 N
CI
    COM
    STN Files: ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA.
LC
       CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, CSCHEM, DETHERM*, EMBASE,
       GMELIN*. IFICOB, IFIPAT, IFIUDB, MEDLINE, SPECINFO, TOXCENTER, USPAT2.
       USPATFULL
         (*File contains numerically searchable property data)
    Other Sources: EINECS**
        (**Enter CHEMLIST File for up-to-date regulatory information)
DT.CA CAplus document type: Journal; Patent
      Roles from patents: ANST (Analytical study); BIOL (Biological study);
       CMBI (Combinatorial study); PREP (Preparation); PROC (Process); RACT
       (Reactant or reagent): USES (Uses); NORL (No role in record)
      Roles from non-patents: ANST (Analytical study); BIOL (Biological
       study); CMBI (Combinatorial study); FORM (Formation, nonpreparative);
       PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
       reagent); NORL (No role in record)
RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological
       study); CMBI (Combinatorial study); PREP (Preparation); RACT (Reactant
       or reagent); USES (Uses)
```

~~

<<<



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

227 REFERENCES IN FILE CA (1907 TO DATE)
5 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
227 REFERENCES IN FILE CAPLUS (1907 TO DATE)
1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> b wpix

FILE 'WPIX' ENTERED AT 15:52:03 ON 07 MAR 2005 COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE LAST UPDATED: 3 MAR 2005 <20050303/UP>
MOST RECENT DERWENT UPDATE: 200515 <200515/DW>
DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE. COVERS 1963 TO DATE

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE,
PLEASE VISIT:
http://www.stn.international.de/training.center/patents/stn.guide.pdf

http://www.stn-international.de/training_center/patents/stn_guide.pdf <<<

- >>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES. SEE http://thomsonderwent.com/coverage/latestupdates/
- >>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
 GUIDES, PLEASE VISIT:
 http://thomsonderwent.com/support/userguides/
- >>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX FIRST VIEW FILE WPIFV.
 FOR FURTHER DETAILS: http://www.thomsonderwent.com/dwpifv <<<
- >>> NEW DISPLAY FORMAT HITSTR ADDED ALLOWING DISPLAY OF HIT STRUCTURES WITHIN THE BIBLIOGRAPHIC DOCUMENT <
- >>> SMILES and ISOSMILES strings are no longer available as
 Derwent Chemistry Resource display fields <<<</pre>
- >>> THE CPI AND EPI MANUAL CODES HAVE BEEN REVISED FROM UPDATE 200501. PLEASE CHECK:

http://thomsonderwent.com/support/dwpiref/reftools/classification/code-revision/ FOR DETAILS. <<<</pre>

=> d all 18 tot

- L8 ANSWER 1 OF 1 WPIX COPYRIGHT 2005 THE THOMSON CORP on STN
- AN 2001-008620 [02] WPIX

DNC C2001-002374

- TI New substituted N-cyano-amidine derivatives useful are herbicides useful as desiccants and defoliants and especially for weed control.
- DC C02 C03
- IN DREWES. M W; FEUCHT. D; GESING. E R F; HENSE. A; KATHER. K; LEHR. S; PONTZEN. R; RIEBEL. H; ROHE. L; VOIGT. K; WETCHOLOWSKY. I
- PA (FARB) BAYER AG

CYC 93

PI DE 19921886 A1 20001116 (200102)* 14 C07C261-04

```
WO 2000069813 A1 20001123 (200102) GE
                                                     C07C261-00
       RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL
           OA PT SD SE SL SZ TZ UG ZW
        W: AE AG AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM DZ
           EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK
           LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI
           SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
    AU 2000047553 A 20001205 (200113)
                                                     C07C261-00
                    A1 20020213 (200219) GE
                                                     C07C261-00
    EP 1178956
         R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT
           RO SE SI
    BR 2000010447
                   A 20020213 (200220)
                                                      C07C261-00
                   A 20020116 (200249)
                                                     C07D335-06
    KR 2002005008
    CN 1350517
                    A 20020522 (200258)
                                                      C07C261-00
    JP 2002544255
                    W 20021224 (200313)
                                                39
                                                     C07C257-14
                    A1 20020801 (200367)
                                                     A01N037-52
    MX 2001011452
    AU 765922
                    B 20031002 (200373)
                                                      C07C261-00
ADT DE 19921886 A1 DE 1999-1021886 19990512; WO 2000069813 A1
    WO 2000-EP4013 20000504; AU 2000047553 A AU 2000-47553 20000504:
    EP 1178956 A1 EP 2000-929495 20000504, WO 2000-EP4013 20000504:
    BR 2000010447 A BR 2000-10447 20000504, WO 2000-EP4013 20000504:
    KR 2002005008 A KR 2001-713596 20011023; CN 1350517 A CN 2000-807457
    20000504; JP 2002544255 W JP 2000-618230 20000504. WO 2000-EP4013
    20000504; MX 2001011452 A1 WO 2000-EP4013 20000504. MX
    2001-11452 20011109; AU 765922 B AU 2000-47553 20000504
FDT AU 2000047553 A Based on WO 2000069813; EP 1178956 A1 Based on WO
    2000069813; BR 2000010447 A Based on WO 2000069813; JP 2002544255 W Based
    on WO 2000069813; MX 2001011452 A1 Based on WO 2000069813; AU 765922 B
    Previous Publ. AU 2000047553, Based on WO 2000069813
PRAI DE 1999-19921886
                         19990512
    ICM A01N037-52; C07C257-14; C07C261-00; C07C261-04; C07D335-06
    ICS A01N047-40: C07D215-38: C07D221-04: C07D311-04: C07D333-50
    DE 19921886 A UPAB: 20010110
    NOVELTY - New bicyclic and heterobicyclic substituted N-cyanoamidine
    derivatives are claimed.
         DETAILED DESCRIPTION - The bicyclic and heterobicyclic substituted
    N-cyanoamidine derivatives are of formula (I).
         R1 = H or alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, aryl
    or aralkyl (each optionally substituted):
         R2 = benz-, pyrido- or thieno-fused cycloalk(en)yl, oxacycloalk(en)yl
    or thiacycloalk(en)yl (each optionally substituted).
         An INDEPENDENT CLAIM is also included for the preparation of (I).
         ACTIVITY - Herbicidal.
         MECHANISM OF ACTION - None given.
         USE - Compounds (I) are herbicides which can be used as defoliants.
    desiccants and especially weedkillers, e.g. for the selective pre- or
    post-emergence control of monocot and dicot weeds, e.g. Echinochloa.
    Sagittaria, Alopecurus, Galium, Convolvulus and Ranunculus, in monocot and
    dicot crops, e.g. cotton, flax, tobacco, cereals, pineapples and
    asparagus.
         ADVANTAGE - Compounds (I) are more effective than the
    N-cyano-guanidines known from DE 2505301, US 4661520, US 4684398, US
    4689348 and J. Agric. Food Chemical 37 (1989), 809-814.
    Dwg.0/0
    CPĪ
FS
FΑ
    AB: GI: DCN
MC
    CPI: C06-A01; C06-A02; C06-B01; C06-D04; C10-A15; C14-U01A; C14-V02;
         C14-V03A; C14-V03B
=> b home
FILE 'HOME' ENTERED AT 15:52:14 ON 07 MAR 2005
```